

# ELANA II - MODEL: DWF31

## Recessed Ceiling Luminaires


# WAC

PROJECT: TYPE: 

### Product Image



### Line D



### Product Description

ELANA series tube lights, focusing on the hotel room field. Equipped with a wall washing and light distribution system, it ensures uniform wall washing while utilizing step antiglare technology to provide a comfortable light environment.

### Product Features

- Body Material : Aluminum alloy die-casting lamp body
- Optical System: Lens+step antiglare frame
- Finish : electrostatic powder coating
- Adjustable Angle: /
- Accessories: /
- Certification: CCC
- IP Rating: IP20
- Insulation Level: Class II
- Operating Temperature: -20°C~40°C

### Product Specifications

- Cut size Ø78mm
- Ceiling Thickness: 1mm~25mm
- Light blocking / angle: /
- LED Type: COB
- Source Lm: 800lm/7W 3000K;1100lm/10W 3000K
- LED lifetime: >50000h-L70 /B10-Ta25°C(LM-80/TM-21)
- CCT/CRI: 2700K/ 3000K/ 4000K, Ra90
- SDCM : 3 SDCM
- Input : 220V~240V AC / 50Hz
- Dimming: No dimming/0-10V (compatibility testing must be conducted with the project site system in advance)
- Net Weight: 0.65Kg without packing

### Order Model

Model	Size	Trim	LED	Driver	CCT	Beam	Reflector	Finish
DWF	3	1	LM07	E On-Off	27 2700K	W Wall washer	B Black	WT
Downlight	3"	Round Trim	COB 7W	D 0-10V	30 3000K			White
Wall washer			LM10	Dimming	40 4000K			
F series			COB 10W					

Example: DWF31-LM07E-30WBWT

### Accessories:

/

### WAC Lighting

www.waclighting.com (US)  
www.waclighting.com.cn (China)

### Headquarters

44 Harbor Park Drive • Port Washington, NY  
Phone (516) 515.5000 • Fax (516) 515.5050

### WAC Lighting(Shanghai)

14,Lane 299, Bi Sheng Road,Shanghai 201204  
Phone (86.21) 3393.3558 • Fax (86.21) 3362.1598


# ELANA II - MODEL: DWF31

## Recessed Ceiling Luminaires

# WAC

PROJECT:

TYPE:



<b>MODEL :</b>	<u>DWF31-LM07E-30WBWT</u>	<u>DWF31-LM10E-30WBWT</u>
<b>BEAM ANGLE:</b>	<u>/</u>	<u>/</u>
<b>POWER:</b>	<u>9 W</u>	<u>11 W</u>
<b>LUMES:</b>	<u>196 lm</u>	<u>241 lm</u>
<b>CBCP:</b>	<u>/</u>	<u>/</u>
<b>EFFICACY:</b>	<u>22 lm/W</u>	<u>28 lm/W</u>

# ELANAI - MODEL: DWF35

## Recessed Ceiling Luminaires




PROJECT:

TYPE:

### Product Image



### Line D



### Product Description

ELANA series tube lights, focusing on the hotel room field. Equipped with a wall washing light distribution system, it ensures uniform wall washing while utilizing step antiglare technology to provide a comfortable lighting environment.

### Product Features

- Body Material : Aluminum alloy die-casting lamp body
- Optical System: Lens+step antiglare frame
- Finish : electrostatic powder coating
- Adjustable Angle : /
- Accessories: /
- Certification: CCC
- IP Rating: IP20
- Insulation Level: Class II
- Operating Temperature: -20°C~40°C

### Product Specifications

- Cut size : Ø78mm
- Ceiling Thickness: 1mm~25mm
- Light blocking angle: /
- LED Type: COB
- Source Lm: 800lm/7W 3000K;1100lm/10W 3000K
- LED lifetime: >50000h-L70 /B10-Ta25°C(LM-80/TM-21)
- CCT/CRI: 2700K/ 3000K/ 4000K, Ra90
- SDCM: 3 SDCM
- Input: 220V~240V AC / 50Hz
- Dimming: No dimming/0-10V (compatibility testing must be conducted with the project site system in advance)
- Net Weight: 0.65Kg, without packing

### Order Model

Model	Size	Trim	LED	Driver	CCT	Beam	Reflector	Finish
<b>DWF</b>	<b>3</b>	<b>5</b>	<b>LM07</b>	<b>E</b> On-Off	<b>27</b> 2700K	<b>W</b> Wall washer	<b>B</b> Black	<b>WT</b> White
Downlight	3"	Square Trim	COB 7W	<b>D</b> 0-10V	<b>30</b> 3000K			
Wallwasher			<b>LM10</b>	Dimming	<b>40</b> 4000K			
F series			COB 10W					

Example: DWF35-LM07E-30WBWT

### Accessories:

/


# ELANAI - MODEL: DWF35

Recessed Ceiling Luminaires

# WAC

PROJECT:

TYPE:



<b>MODEL :</b>	<u>DWF35-LM07E-30WBWT</u>	<u>DWF35-LM10E-30WBWT</u>
<b>BEAM ANGLE:</b>	<u>/</u>	<u>/</u>
<b>POWER:</b>	<u>9 W</u>	<u>11 W</u>
<b>LUMES:</b>	<u>164 lm</u>	<u>201 lm</u>
<b>CBCP:</b>	<u>/</u>	<u>/</u>
<b>EFFICACY:</b>	<u>18 lm/W</u>	<u>21 lm/W</u>